

Admittance Date: _____ Discharge Date: ___



COMPLETE ALL FIELDS TO AVOID PROCESSING DELAYS. PRESCRIPTION QUESTIONS? CALL 1-800-VIVITROL (1-800-848-4876), 9AM-8PM (EST). ONLY VALID IF FAXED. FAX COMPLETED FORM TO: 1-877-329-8484

TP ID# (Touchpoints Use Only): _

| 1. PRESCRIBER OR FACILITY INFORMATION | 4. INJECTION PROVIDER/SPECIALTY PHARMACY INFORMATION |
|---|---|
| Prescriber Name* | Will your patient receive ongoing injections at your location? |
| State License # DEA # | Yes, patient will receive all injections at this location. Complete step B of this section. |
| Prescriber Phone # NPI # | No, patient will transition to a new provider after the first dose. Complete steps A and B of this section. |
| Facility Name Fax # | A. Injecting provider A new provider is unknown; need assistance from Touchpoints |
| Address | to locate one |
| City State Zip Code | Touchpoints should contact provider below to coordinate ongoing care for this patient |
| Staff Contact Name | Provider Name Phone # |
| Staff Contact Phone # | Provider Address |
| Staff Contact E-mail | B. Shipping details Patient needs VIVITROL delivered by (date)/////// |
| 2. PATIENT INFORMATION | |
| Name (First) (Last) | Preferred pharmacy (if applicable) |
| | Special shipping instructions/restrictions |
| Address | 5. PATIENT INSURANCE INFORMATION |
| City State Zip Code | A. Payment Method Insured Paying out-of-pocket |
| Home Phone # Mobile Phone # | B. ATTACH A COPY OF BOTH SIDES OF THE PATIENT'S INSURANCE CARD(S). |
| | C. IF YOU ELECT NOT TO ATTACH AN INSURANCE CARD, COMPLETE SECTION BELOW. |
| | PRIMARY INSURANCE / MEDICAL INSURANCE |
| Best Time to Call Morning Afternoon Evening | Insurance Type |
| E-mail Address | Carrier Name |
| ightarrow instruct patient to list alternate contacts on page 2. | Policyholder Name PA # (if obtained) |
| 3. PATIENT DIAGNOSIS—Please complete the diagnosis code | Relationship to Patient Carrier Phone # |
| you would like to use by filling in the additional digits. | Policyholder Employer Name |
| (A list of codes can be found on page 3, section 12) | Policy # Group ID # |
| Alcohol Dependence Opioid Dependence Patient has tried and the following medical ICD-10 | tion(s): |
| F10 F11 | PHARMACY BENEFIT PLAN (PBM) PBM Name |
| F10 F11 Place list and l | |
| F10 F11 Please list any known a medications or other su | ubstances: |
| F10 F11 | Relationship to Patient PBM Phone # |
| F10 F11 | Policyholder Employer Name |
| Other Other Patient's concurrent m Check if patient has concurrent | edications: Policy # Rx Grp |
| medications | Rx BIN # Rx PCN |
| | Co-pay Card Number (if already obtained) |
| 6. PRESCRIPTION INFORMATION AND ATTESTATION | *PRESCRIBER SIGNATURE MUST BE THE SAME AS THE PRESCRIBER NAME ABOVE |
| Patient Name | |
| VIVITROL 380 mg x 1 unit Inject 380 mg IM every 4 weeks or every | 1 month Provider State License # |
| Alkermes, Inc., reserves the right at any time and for any reason, without assistance provided through Touchpoints. Finally, I authorize Alkermes, i health information as necessary to verify the accuracy of any information | nts enrollment form is complete and accurate to the best of my knowledge. I understand that notice, to modify this Touchpoints enrollment form or to modify or discontinue any services or its affiliates, representatives and agents as my designated agents to use and disclose my patient's a provided, to provide reimbursement services through Touchpoints, to forward the above ent, and (as applicable) to assess my patient's eligibility for co-pay assistance. |
| Prescriber's Signature X | Prescriber's Signature (no stamps allowed) Dispense as Written Date of Signature Signature Substitution Permitted |





PATIENTS SHOULD COMPLETE ALL FIELDS ON THIS PAGE.

Please list any Contacts authorized as set forth above:

QUESTIONS? CALL 1-800-VIVITROL (1-800-848-4876), 9AM-8PM (EST).

7. ALTERNATE PATIENT CONTACT(S)

By signing below, I authorize my Contact(s), listed below, to receive logistical and administrative information related to my treatment, such as appointment reminders, and to make decisions on my behalf-for which I will remain liable-regarding delivery of VIVITROL® (naltrexone for extended-release injectable suspension). Alkermes is not liable for any decision(s) made by the Contact(s) or actions taken in reliance on such Contact(s) decisions.

| Contact Name (1) | Relationship | Phone # |
|---|---|--|
| Contact Name (2) | Relationship Phone # | |
| Patient's Signature X | Date of Signature | Phone # |
| 8. PATIENT AUTHORIZATION FOR USE/DISCLOSURE OF HEALTH | INFORMATION | |
| VIVITROL to me, 3. the pharmacy(ies) to which my VIVITROL prescrinsurers (collectively, my "Healthcare Entities") to use and disclose the VIVITROL patient support services I request, which are United B (collectively, "Alkermes") and 2. my Contact(s) listed above (togethe condition, including information about my drug or alcohol addiction coverage, as well as the information requested in this form (taken to facilitate: 1. ordering, delivering and administering VIVITROL, 2. con plan(s) and insurer(s), 3. providing me with educational and therapy may include sending me product information materials and treatment programs, foundations or alternative sources of funding or coverage fulfillment of VIVITROL prescriptions. Information May Be Further D authorization could be re-disclosed by a Recipient and may no longer | o: 1. Alkermes, Inc. and the companies wor ioSource Corporation, OPUS Health, LASHer with Alkermes, the "Recipients") health i, my mental health condition(s), my treatm gether, "Information") for the specific pur ducting reimbursement verification and obsupport services by mail, text-messaging, not reminders, 4. referring me to, or determine to help me with the costs of VIVITROL an Disclosed: I understand that Information dier be protected by federal privacy law (HIF | y"), and 4. my health plans and king with Alkermes, Inc. to provide I Group, Human Care Systems nformation related to my medical ent with VIVITROL, my insurance poses of allowing Alkermes to obtaining payment from my health e-mail, and/or telephone, which ining my eligibility for, other d 5. reviewing and analyzing sclosed pursuant to this PAA). |
| I understand that signing this authorization is voluntary and if I do no insurance or insurance benefits from my Healthcare Entities. I under receive the educational, patient support or other services described with my healthcare provider before making any treatment decisions sign. I understand that the Pharmacy may receive payment from Alk | stand, however, that if I do not sign this au above, which are being provided by, or on . I understand I have the right to receive a o | thorization, I will not be eligible to behalf of, Alkermes. I will consult |
| I may withdraw this authorization at any time by mailing or faxing a Center Parkway, Memphis, TN 38134. Withdrawal of this authorization by my Healthcare Entities when they receive notice of my withdrawa authorization or as permitted by applicable law. This authorization e or (2) the maximum period permitted by applicable state law, unless | on will end my consent to further disclosure al, but will not affect previous disclosures a xpires on the earlier of (1) five years from t | es of Information authorized herein nd uses pursuant to this |
| Patient's Signature X | Date | e of Signature |
| Parent/Guardian/Legal Representative's Signature ¹ Authority/Relationship to Patient | | |
| ¹ If patient is a minor without capacity to act alone under state law, sign | gnature of patient and parent/guardian/leg | gal representative is required. |
| 9. CO-PAY INFORMATION FOR ELIGIBLE PATIENTS | | |
| ☐ (Check if "yes") I would like to receive co-payment assistance from | om Alkermes. | |
| \Box I certify that I am at least 18 years old, and I am being treated for o | pioid dependence after detox or alcohol d | ependence. |
| Please confirm that you understand the eligibility requirements for Co-payment assistance for VIVITROL is not valid for prescriptions that program. Such programs include, but are not limited to: | | |
| Medicare, including Medicare Part D and Medicare Advantage plans | • Department of Defense ("DoD") | |
| Medicaid, including Medicaid Managed Care and Alternative Benefit Plans ("ABPs") under the Affordable Care Act Medigap | • | edical or pharmaceutical |

Veterans Administration ("VA")

I agree that I understand the eligibility requirements described above. I certify that I am not using, and I will not use, any federal or state funded program to help pay for my VIVITROL prescription. I understand that if I do use any benefits from state, federal or other government funded program to help pay for my VIVITROL prescription, I will no longer be eligible for co-pay support for VIVITROL. I agree to comply with any requirements of my insurer(s) regarding co-pay support, including disclosure of the amount of co-pay support I receive to my insurer(s).

Ry signing below Lagree that Lunderstand, and will comply with the terms of this VIVITAGI® Co-pay Savings Program

| by sigillii | g below i as | gree that i understand | , and will comply with, the terms of this vivil ROL | co-pay savings Program. | |
|---------------|--------------|------------------------|---|-------------------------|--|
| \square YES | \square NO | Patient's Signature | X | Date of Signature | |
| | | | | | |

[§]Eligibility for Sponsored Co-pay Assistance: Please see page 3, section 11.





10. INJECTION PROVIDER/SPECIALTY PHARMACY SELECTION INFORMATION (AS APPLICABLE)

If you have requested injection services for your patient, Touchpoints will identify several injectors based on geographic proximity to your patient's address listed on the enrollment form (from closest to farthest from such address).

These injection providers are listed on the VIVITROL Provider Locator" at VIVITROL.com.

These options will be provided to you for your patient. We will also contact the selected injection services provider to help coordinate injection services.

Upon request, prescriptions of patients enrolled in Touchpoints are routed to qualified pharmacies based on insurance plan requirements, provider selection, patient preference and information obtained by Alkermes on pharmacy capability and performance in dispensing VIVITROL prescriptions. Participation is open to all qualified pharmacies free of charge. Interested pharmacies may contact 1-800-VIVITROL (1-800-848-4876).

11. ELIGIBILITY FOR SPONSORED CO-PAY ASSISTANCE

Offer valid only for prescriptions for FDA-approved indications. Patients must be at least 18 years old. If patients are purchasing their VIVITROL prescriptions with benefits from Medicare, including Medicare Part D or Medicare Advantage plans; Medicaid, including Medicaid Managed Care or Alternative Benefit Plans ("ABPs") under the Affordable Care Act; Medigap; Veterans Administration ("VA"); Department of Defense ("DoD"); TRICARE®; or any similar state funded programs such as medical or pharmaceutical assistance programs, they are not eligible for this offer. Void where prohibited by law, taxed or restricted. Alkermes, Inc. reserves the right to rescind, revoke or amend these offers without notice.

12. PATIENT DIAGNOSIS CODES

| Alcohol Dependence: | Opioid Dependence: |
|---------------------|--------------------|
| | |

| - F10.221 - F10.229 F10.23 - F10.231 - F10.232 - F10.239 F10.24 F10.25 - F10.250 - F10.251 - F10.259 | Unspecified Alcohol dependence with withdrawal Uncomplicated Delirium With perceptual disturbance Unspecified With alcohol-induced mood disorder Alcohol dependence with alcohol-induced psychotic disorder With delusions With hallucinations Unspecified | - F10.281 - F10.282 | With alcohol- induced persisting dementia Alcohol dependence with other alcohol-induced disorders Alcohol dependence with alcohol- induced anxiety disorder Alcohol dependence with alcohol- induced sexual dysfunction Alcohol dependence with alcohol- induced sleep disorder Alcohol dependence with alcohol- induced sleep disorder Alcohol dependence with other alcohol- induced disorder With unspecified alcohol-induced | - F11.221 - F11.222 - F11.229 F11.23 F11.24 F11.25 - F11.250 - F11.251 | Opioid dependence Uncomplicated In remission Opioid dependence with intoxication Uncomplicated Delirium With perceptual disturbance Unspecified With withdrawal With opioid-induced mood disorder Opioid dependence with opioid-induced psychotic disorder With delusions With hallucinations Unspecified | Opioid dependence with other opioid-induced disorder Opioid dependence with other opioid-induced sexual dysfunction Opioid dependence with other opioid-induced sleep disorder Opioid dependence with other opioid-induced disorder With unspecified opioid-induced disorder |
|--|--|------------------------|--|---|---|--|
| - F10.259 F10.26 | Unspecified With alcohol-induced persisting amnestic disorder | F10.29 | | | | |

Inclusion in the Locator is voluntary and free of charge to qualified healthcare providers and, along with the provider-specific information in the Provider Locator, is based on healthcare provider responses. Inclusion in the Locator does not imply a referral, recommendation, or endorsement by Alkermes. Alkermes has not independently verified the qualifications of any healthcare provider included in the Locator. We recommend that you research the credentials, qualifications, and experience of each provider before confirming an appointment. Alkermes shall not be liable to you or to anyone for any decision made or action taken in reliance on this information.





IMPORTANT SAFETY INFORMATION FOR VIVITROL® (naltrexone for extended-release injectable suspension)

INDICATIONS

VIVITROL is indicated for:

- Treatment of alcohol dependence in patients who are able to abstain from alcohol in an outpatient setting. Patients should not be actively drinking at the time of initial VIVITROL administration.
- Prevention of relapse to opioid dependence, following opioid detoxification.
- VIVITROL should be part of a comprehensive management program that includes psychosocial support.

CONTRAINDICATIONS

VIVITROL is contraindicated in patients:

- Receiving opioid analgesics
- With current physiologic opioid dependence
- In acute opioid withdrawal
- Who have failed the naloxone challenge test or have a positive urine screen for opioids
- Who have exhibited hypersensitivity to naltrexone, polylactide-coglycolide (PLG), carboxymethylcellulose, or any other components of the diluent

WARNINGS AND PRECAUTIONS

Vulnerability to Opioid Overdose: Because VIVITROL blocks the effects of exogenous opioids for approximately 28 days after administration, patients are likely to have a reduced tolerance to opioids after opioid detoxification. As the blockade dissipates, use of previously tolerated doses of opioids could result in potentially life-threatening opioid intoxication (respiratory compromise or arrest, circulatory collapse, etc). Cases of opioid overdose with fatal outcomes have been reported in patients who used opioids at the end of a dosing interval, after missing a scheduled dose, or after discontinuing treatment. Patients and caregivers should be told of this increased sensitivity to opioids and the risk of overdose.

Any attempt by a patient to overcome the VIVITROL blockade by taking opioids may lead to fatal overdose. <u>Patients should be told of the serious consequences of trying to overcome the opioid blockade</u>.

Injection Site Reactions: VIVITROL injections may be followed by pain, tenderness, induration, swelling, erythema, bruising, or pruritus; however, in some cases injection site reactions may be very severe. Injection site reactions not improving may require prompt medical attention, including, in some cases, surgical intervention. Inadvertent subcutaneous/adipose layer injection of VIVITROL may increase the likelihood of severe injection site reactions. Select proper needle size for patient body habitus, and use only the needles provided in the carton. Patients should be informed that any concerning injection site reactions should be brought to the attention of their healthcare provider.

Precipitation of Opioid Withdrawal: Withdrawal precipitated by administration of VIVITROL may be severe. Some cases of withdrawal symptoms have been severe enough to require hospitalization and management in the ICU. To prevent precipitated withdrawal, patients, including those being treated for alcohol dependence:

- Should be opioid-free (including tramadol) for a minimum of 7–10 days before starting VIVITROL.
- Patients transitioning from buprenorphine or methadone may be vulnerable to precipitated withdrawal for as long as two weeks.

Patients should be made aware of the risk associated with precipitated withdrawal and be encouraged to give an accurate account of last opioid use.

Hepatotoxicity: Cases of hepatitis and clinically significant liver dysfunction have been observed in association with VIVITROL. Warn patients of the risk of hepatic injury; advise them to seek help if experiencing symptoms of acute hepatitis. Discontinue use of VIVITROL in patients who exhibit acute hepatitis symptoms.

Depression and Suicidality: Alcohol- and opioid-dependent patients taking VIVITROL should be monitored for depression or suicidal thoughts. Alert families and caregivers to monitor and report the emergence of symptoms of depression or suicidality.

When Reversal of VIVITROL Blockade Is Required for Pain Management: For VIVITROL patients in emergency situations, suggestions for pain management include regional analgesia or use of non-opioid analgesics. If opioid therapy is required to reverse the VIVITROL blockade, patients should be closely monitored by trained personnel in a setting staffed and equipped for CPR.

Eosinophilic Pneumonia: Cases of eosinophilic pneumonia requiring hospitalization have been reported. Warn patients of the risk of eosinophilic pneumonia and to seek medical attention if they develop symptoms of pneumonia.

Hypersensitivity Reactions: Patients should be warned of the risk of hypersensitivity reactions, including anaphylaxis.

Intramuscular Injections: As with any IM injection, VIVITROL should be administered with caution to patients with thrombocytopenia or any coagulation disorder.

Alcohol Withdrawal: Use of VIVITROL does not eliminate nor diminish alcohol withdrawal symptoms.

ADVERSE REACTIONS

Serious adverse reactions that may be associated with VIVITROL therapy in clinical use include severe injection site reactions, eosinophilic pneumonia, serious allergic reactions, unintended precipitation of opioid withdrawal, accidental opioid overdose, and depression and suicidality. The adverse events seen most frequently in association with VIVITROL therapy for alcohol dependence include nausea, vomiting, injection site reactions (including induration, pruritus, nodules, and swelling), muscle cramps, dizziness or syncope, somnolence or sedation, anorexia, decreased appetite or other appetite disorders. The adverse events seen most frequently in association with VIVITROL in opioid-dependent patients also include hepatic enzyme abnormalities, injection site pain, nasopharyngitis, insomnia, and toothache.

You are encouraged to report side effects to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

PLEASE SEE <u>PRESCRIBING INFORMATION AND MEDICATION GUIDE</u>, OR VISIT <u>VIVITROL.COM</u>.

PLEASE REVIEW MEDICATION GUIDE WITH PATIENTS.



ALKERMES and VIVITROL are registered trademarks of Alkermes, Inc. TouchpointsSM is a service mark of Alkermes, Inc. All other marks used herein are the property of their respective owners. ©2013–2016 Alkermes, Inc. All rights reserved. VIV-002466

vivitrol.com PAGE 4